## **AMENDMENTS TO THE CLAIMS:**

- 1. (Currently amended) A thick film photoresist composition comprising:
  - (A) a resin component containing (a) from 61 to 90% by weight of a structural unit derived from a cyclic alkyl (meth)acrylate ester, and (b) a structural unit derived from a radical polymerizable compound containing a hydroxyl group[[,]];
  - (B) a polymerizable compound containing at least one ethylenic unsaturated double bond[[,]];
    - (C) a photopolymerization initiator[[,]]; and
    - (D) an organic solvent.
- 2. (Original) A thick film photoresist composition according to claim 1, wherein said structural unit (b) accounts for at least 1% by weight, but less than 10% by weight, of said component (A).
- 3. (Original) A thick film photoresist composition according to claim 1, wherein said component (A) further comprises (c) a structural unit derived from a radical polymerizable compound represented by a general formula (1) shown below:

$$CH_2 = C$$
 $CH_2$ 
 $CH_$ 

(wherein, R<sup>1</sup> represents a hydrogen atom or a methyl group, and R<sup>2</sup> represents a hydrogen atom or an alkyl group of 1 to 4 carbon atoms).

US National Phase of PCT/JP2004/017534

Filed:

Herewith

4. (Currently amended) A thick film photoresist composition according to claim 1, wherein said component (D) is at least one solvent selected from a group consisting of methyl isobutyl ketone and and/or methyl ethyl ketone.

- 5. (Original) A method of forming a resist pattern, wherein said resist pattern is formed using a thick film photoresist composition according to any one of claim 1 through claim 4.
- 6. (Currently amended) A pattern formed using said the method disclosed in according to claim 5.